

Supplement of Geosci. Model Dev., 10, 689–708, 2017
<http://www.geosci-model-dev.net/10/689/2017/>
doi:10.5194/gmd-10-689-2017-supplement
© Author(s) 2017. CC Attribution 3.0 License.



Supplement of

**Simple process-led algorithms for simulating habitats (SPLASH v.1.0):
robust indices of radiation, evapotranspiration and plant-available
moisture**


Tyler W. Davis et al.

Correspondence to: I. Colin Prentice (c.prentice@imperial.ac.uk)

The copyright of individual parts of the supplement might differ from the CC-BY 3.0 licence.


(a) Tundra-ET (51.8° N, 116.5° W, 1383 m)

SPLASH+CRU TS3.23 (black); Livneh *et al.*, 2015 (red)




(b) Continental w/ Warm Summers–Dfb (44.7° N, 73.8° W, 383 m)

SPLASH+CRU TS3.23 (black); Livneh *et al.*, 2015 (red)




(c) Temperate w/ Dry Summers–Csb (37.8° N, 122.4° W, 16 m)

SPLASH+CRU TS3.23 (black); Livneh *et al.*, 2015 (red)




(d) Hot Arid Desert–BWh (32.7° N, 114.6° W, 43 m)

SPLASH+CRU TS3.23 (black); Livneh *et al.*, 2015 (red)



(e) Equatorial Monsoonal–Am (26.0° N, 80.3° W, 2 m)

SPLASH+CRU TS3.23 (black); Livneh *et al.*, 2015 (red)



(f) Cold Arid Steppe–BSk (22.2° N, 101.0° W, 1850 m)

SPLASH+CRU TS3.23 (black); Livneh *et al.*, 2015 (red)

